

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** Höveler Mähnen- und Schweißspray 2,5 l  
**Revision date :** 17.01.2023  
**Print date :** 07.01.2026

**Version (Revision) :** 3.0.0 (2.0.0)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

Höveler Mähnen- und Schweißspray 2,5 l

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Products for animals

#### 1.3 Details of the supplier of the safety data sheet

##### Supplier

AGRAVIS Raiffeisen AG

**Street :** Industrieweg 110

**Postal code/City :** 48155 Münster

**Country :** Deutschland

**Telephone :** +49 251 682-0

**Telefax :** +49 251 682-2534

##### Information contact :

Manufacturer:

Ferdinand Eimermacher GmbH & Co. KG

Westring 24

D-48356 Nordwalde

Deutschland

Tel.-Nr. +49/2573/9390-0

info@eimermacher.de

info@agravis.de

#### 1.4 Emergency telephone number

Germany: Poisons Information Centre Berlin  
Charité – Universitätsmedizin Berlin  
Campus Benjamin Franklin  
Haus VIII, UG  
Hindenburgdamm 30  
D-12203 Berlin  
+49(0)30/30686 700, Internat. INFOTRAC +1 3523233500

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008 [CLP]

None

#### 2.2 Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

##### Special rules for supplemental label elements for certain mixtures

EUH208

Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE ; 2-METHYLISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction.

EUH210

Safety data sheet available on request.

#### 2.3 Other hazards

##### Adverse human health effects and symptoms

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

##### Adverse environmental effects

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** Höveler Mähnen- und Schweißspray 2,5 l  
**Revision date :** 17.01.2023  
**Print date :** 07.01.2026

**Version (Revision) :** 3.0.0 (2.0.0)

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Hazardous ingredients

ETHANOL ; REACH No. : 01-2119457610-43 ; EC No. : 200-578-6; CAS No. : 64-17-5

Weight fraction :  $\geq 15 - < 20$  %  
Classification 1272/2008 [CLP] : Flam. Liq. 2 ; H225 Eye Irrit. 2 ; H319  
Specific Conc. Limits : Eye Irrit. 2 ; H319: C  $\geq 50$  %

1,2-BENZISOTHIAZOL-3(2H)-ONE ; REACH No. : 01-2120761540-60-XXXX ; EC No. : 220-120-9; CAS No. : 2634-33-5

Weight fraction :  $\geq 0,005 - < 0,05$  %  
Classification 1272/2008 [CLP] : Acute Tox. 2 ; H330 Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Skin Irrit. 2 ; H315  
Skin Sens. 1A ; H317 Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410  
Specific Conc. Limits : Skin Sens. 1 ; H317: C  $\geq 0,036$  % • (M=1)

2-METHYLISOTHIAZOL-3(2H)-ONE ; REACH No. : 01-2120764690-50-XXXX ; EC No. : 220-239-6; CAS No. : 2682-20-4

Weight fraction :  $\geq 0,00015 - < 0,0015$  %  
Classification 1272/2008 [CLP] : Acute Tox. 2 ; H330 Acute Tox. 3 ; H301 Acute Tox. 3 ; H311 Skin Corr. 1B ; H314  
Eye Dam. 1 ; H318 Skin Sens. 1A ; H317 Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410 EUH071  
Specific Conc. Limits : Skin Sens. 1A ; H317: C  $\geq 0,0015$  % • (M Chronic=1) • (M Acute=10)

##### Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information

Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

##### Following inhalation

Provide fresh air. If unconscious but breathing normally, place in recovery position and seek medical advice.

##### In case of skin contact

After contact with skin, wash immediately with plenty of water and soap.

##### After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

##### Following ingestion

If swallowed, immediately drink: Water  
Call a physician immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Headache , Nausea , Dizziness

##### Symptoms

Important or further important known symptoms and effects are described in the GHS labelling of the product (see section 2) and in section 11 (Toxicological information). (Further) symptoms and/or effects are not yet known.  
In our experience, no special hazards are to be expected if the product is handled properly and is used as intended.

#### 4.3 Indication of any immediate medical attention and special treatment needed

treatment: Symptoms (decontamination, vital functions), no known specific antidote.

### SECTION 5: Firefighting measures

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** Höveler Mähnen- und Schweißspray 2,5 l  
**Revision date :** 17.01.2023  
**Print date :** 07.01.2026

**Version (Revision) :** 3.0.0 (2.0.0)

### 5.1 Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>) , Extinguishing powder , Water mist , alcohol resistant foam  
Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

Full water jet Strong water jet

### 5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to the escape of irritating gases and vapours.

### 5.3 Advice for firefighters

#### Special protective equipment for firefighters

Full protection suit , Use suitable breathing apparatus.

### 5.4 Additional information

Use water spray jet to protect personnel and to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. See protective measures under point 7 and 8. Special danger of slipping by leaking/spilling product.

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4 Reference to other sections

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Handle and open container with care. Use only in well-ventilated areas.  
Avoid: generation/formation of aerosols

#### Protective measures

##### Measures to prevent fire

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Always close containers tightly after the removal of product.

##### Specific requirements or handling rules

Take precautionary measures against static discharges.

### 7.2 Conditions for safe storage, including any incompatibilities

Avoid: UV-radiation/sunlight  
Do not expose to temperatures above 50 °C. Keep container tightly closed and in a well-ventilated place.

#### Requirements for storage rooms and vessels

Floors should be impervious, resistant to liquids and easy to clean. Ensure adequate ventilation of the storage area. Keep/Store only in original container. Keep container tightly closed.

#### Hints on joint storage

**Storage class (TRGS 510) :** 10

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** Höveler Mähnen- und Schweißspray 2,5 l  
**Revision date :** 17.01.2023  
**Print date :** 07.01.2026

**Version (Revision) :** 3.0.0 (2.0.0)

### 7.3 Specific end use(s)

Observe instructions for use. see section 1.2

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values

ETHANOL ; CAS No. : 64-17-5

Limit value type (country of origin) : TRGS 900 ( D )  
Limit value : 200 ppm / 380 mg/m<sup>3</sup>  
Peak limitation : 4(II)  
Remark : Y  
Version : 23.06.2022

PYRIDINE-2-THIOL 1-OXIDE, SODIUM SALT ; CAS No. : 3811-73-2

Limit value type (country of origin) : TRGS 900 ( D )  
Parameter : E: inhalable fraction  
Limit value : 0,2 mg/m<sup>3</sup>  
Peak limitation : 2(II)  
Remark : H, Y  
Version : 23.06.2022

#### DNEL-/PNEC-values

##### DNEL/DMEL

ETHANOL ; CAS No. : 64-17-5

Limit value type : DNEL/DMEL (Consumer)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 114 mg/m<sup>3</sup>  
Limit value type : DNEL/DMEL (Consumer)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 206 mg/kg  
Assessment factor : day(s)  
Limit value type : DNEL/DMEL (Consumer)  
Exposure route : Oral  
Exposure frequency : Long-term  
Limit value : 87 mg/kg  
Assessment factor : day(s)  
Limit value type : DNEL/DMEL (Worker)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 950 mg/m<sup>3</sup>  
Limit value type : DNEL/DMEL (Worker)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 343 mg/kg  
Assessment factor : day(s)

##### PNEC

ETHANOL ; CAS No. : 64-17-5

Limit value type : PNEC (Aquatic, freshwater)  
Limit value : 0,96 mg/l  
Limit value type : PNEC (Aquatic, marine water)  
Limit value : 0,79 mg/l  
Limit value type : PNEC (Sediment, freshwater)  
Limit value : 3,6 mg/kg

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** Höveler Mähnen- und Schweißspray 2,5 l  
**Revision date :** 17.01.2023  
**Print date :** 07.01.2026

**Version (Revision) :** 3.0.0 (2.0.0)

Limit value type : PNEC (Sediment, marine water)  
Limit value : 2,9 mg/kg  
Limit value type : PNEC (Soil)  
Limit value : 0,63 mg/l  
Limit value type : PNEC (Secondary poisoning)  
Limit value : 0,38 g/kg

### 8.2 Exposure controls

#### Personal protection equipment

Use personal protection equipment.

#### Eye/face protection



Eye glasses with side protection EN 166

#### Skin protection

##### Hand protection



**By short-term hand contact :** Suitable gloves type Disposable gloves. NBR (Nitrile rubber)

**By long-term hand contact :** Check leak tightness/impermeability prior to use.

Suitable material CR (polychloroprene, chloroprene rubber) Butyl caoutchouc (butyl rubber)

Breakthrough time 480 min

Thickness of the glove material 5 mm

**Remark :** When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. EN ISO 374

##### Body protection

Wear anti-static footwear and clothing

Protective clothing. EN 13034 Natural fibres (e.g. cotton) , heat-resistant synthetic fibres

Chemical resistant safety shoes DIN EN 13832-2

#### Respiratory protection

Usually no personal respirative protection necessary.

#### General information

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Appearance :** emulsion

**Colour :** white

**Odour :** characteristic

#### Safety characteristics

**Physical state :**

Liquid

**Melting point/freezing point :**

not determined

**Initial boiling point and boiling range :**

( 1013 hPa )

78 - 100 °C

**Decomposition temperature :**

not determined

**Flash point :**

35,5 °C

**Auto-ignition temperature :**

not applicable

**Lower explosion limit :**

not applicable

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** Höveler Mähnen- und Schweißspray 2,5 l  
**Revision date :** 17.01.2023  
**Print date :** 07.01.2026

**Version (Revision) :** 3.0.0 (2.0.0)

<b>Upper explosion limit :</b>			not applicable
<b>Vapour pressure :</b>	( 50 °C )		not applicable
<b>Density :</b>	( 20 °C )		0,963 - 0,964 g/cm <sup>3</sup>
<b>Water solubility :</b>	( 20 °C )		not determined
<b>Fat solubility :</b>	( 20 °C )		Not determined.
<b>pH :</b>			6,5 - 8,5
<b>log P O/W :</b>			not determined
<b>Viscosity :</b>	( 20 °C )	<	7 mPa*s
<b>Cinematic viscosity :</b>	( 40 °C )		not relevant
<b>Odour threshold :</b>			not determined
<b>Relative vapour density :</b>	( 20 °C )		not determined
<b>Vapourisation rate :</b>			not determined
<b>Maximum VOC content (EC) :</b>			19,7 Weight-%
<b>Flammable solids :</b>		Not applicable.	
<b>Flammable gases :</b>		Not applicable.	
<b>Oxidising liquids :</b>		Not relevant.	
<b>Explosive properties :</b>		Not applicable.	
<b>Corrosive to metals :</b>		Not relevant.	

### 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

See section 7 of the safety data sheet.

### 10.5 Incompatible materials

Oxidising agent, strong.

### 10.6 Hazardous decomposition products

Does not decompose when used for intended uses.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Corrosion

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

##### Carcinogenicity

Based on available data, the classification criteria are not met.

##### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

##### Reproductive toxicity

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** Höveler Mähnen- und Schweißspray 2,5 l  
**Revision date :** 17.01.2023  
**Print date :** 07.01.2026

**Version (Revision) :** 3.0.0 (2.0.0)

Based on available data, the classification criteria are not met.

### **STOT-single exposure**

Based on available data, the classification criteria are not met.

### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## **11.2 Information on other hazards**

Endocrine disrupting potential:

The product does not contain any substance above the legal limits that is included in the list established under Article 59(1) of Regulation (EC) No 1907/2006 on the basis of endocrine disrupting properties or that has endocrine disrupting or endocrine damaging properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other indications of toxicity

The product has not been tested. The statements on toxicology were derived from the properties of the individual components.

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

The product has not been tested. The statement is derived from the properties of the single components.

#### **Aquatic toxicity**

Based on available data, the classification criteria are not met.

### **12.2 Persistence and degradability**

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge.

### **12.3 Bioaccumulative potential**

No information available.

### **12.4 Mobility in soil**

No information available.

### **12.5 Results of PBT and vPvB assessment**

This product does not contain components in concentrations of 0.1% or higher which are classified as either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### **12.6 Endocrine disrupting properties**

The product does not contain any substance above the legal limits that is included in the list established under Article 59(1) of Regulation (EC) No 1907/2006 on the basis of endocrine disrupting properties or that has endocrine disrupting or endocrine damaging properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### **12.7 Other adverse effects**

The product does not contain any substances listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

### **12.8 Additional ecotoxicological information**

#### **Additional information**

Do not allow uncontrolled discharge of product into the environment.

## **SECTION 13: Disposal considerations**

### **13.1 Waste treatment methods**

Dispose according to legislation. The allocation of waste identity numbers/waste descriptions must be carried out

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** Höveler Mähnen- und Schweißspray 2,5 l  
**Revision date :** 17.01.2023  
**Print date :** 07.01.2026

**Version (Revision) :** 3.0.0 (2.0.0)

according to the EEC, specific to the industry and process.

### 13.2 Additional information

Dispose of contents / partially emptied container to hazardous waste. Dispose of empty container to municipal waste after proper use of the product.

## SECTION 14: Transport information

### 14.1 UN number or ID number

No dangerous good in sense of these transport regulations.

### 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

### 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

### 14.4 Packing group

No dangerous good in sense of these transport regulations.

### 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

### 14.6 Special precautions for user

None

### 14.7 Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe technical data sheet or other information on the label.

#### EU legislation

##### Authorisations and/or restrictions on use

##### Restrictions on use

##### Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Use restriction according to REACH annex XVII, no. : 40, 70, 75

##### National regulations

##### Technische Anleitung zur Reinhaltung der Luft (TA-Luft)

Weight fraction (Number 5.2.5. I) : < 5 %

##### Water hazard class

Classification according to AwSV - Class : 1 (Slightly hazardous to water)

### 15.2 Chemical Safety Assessment

A chemical safety assessment has not been carried out for this preparation. For the following substances of this mixture/preparation a chemical safety assessment has been carried out :

ETHANOL ; REACH No. : 01-2119457610-43 ; EC No. : 200-578-6; CAS No. : 64-17-5

1,2-BENZISOTHIAZOL-3(2H)-ONE ; REACH No. : 01-2120761540-60-XXXX ; EC No. : 220-120-9; CAS No. : 2634-33-5 (M=1)

2-METHYLISOTHIAZOL-3(2H)-ONE ; REACH No. : 01-2120764690-50-XXXX ; EC No. : 220-239-6; CAS No. : 2682-20-4 (M Acute=10) (M Chronic=1)

## SECTION 16: Other information

### 16.1 Indication of changes

02. Classification of the substance or mixture · 02. Label elements · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] - Hazard components for labelling ·

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** Höveler Mähnen- und Schweißspray 2,5 l  
**Revision date :** 17.01.2023  
**Print date :** 07.01.2026

**Version (Revision) :** 3.0.0 (2.0.0)

02. Special rules for supplemental label elements for certain mixtures · 03. Hazardous ingredients · 07. Hints on joint storage - Storage class · 08. Occupational exposure limit values · 11. Acute toxicity · 11. Corrosion · 11. Respiratory or skin sensitisation · 11. Carcinogenicity · 11. Germ cell mutagenicity · 11. Reproductive toxicity · 11. STOT-single exposure · 11. STOT-repeated exposure · 11. Aspiration hazard · 12. Aquatic toxicity · 15. Restrictions on use · 15. Sum substances WGK

### 16.2 Abbreviations and acronyms

ADR = European Agreement concerning the carriage of Dangerous goods by Road  
ADN = European Agreement concerning the Carriage of Dangerous Goods by Inland Waterways  
ATE = Estimated values for acute toxicity  
AwSV = Ordinance on Installations for Handling Substances Hazardous to Water  
CAS = Chemical Abstract Service Number  
CE = European Community  
CLP = EC Regulation 1272/2008  
CMR = cancerogen mutagen reprotoxic  
DIN = German Institute for Standardisation  
DNEL = Derived No Effect Level  
DMEL = Derived Minimum Effect Level  
EC50 = Mean effective concentration that induces a defined effect other than death in a test population  
EG = European Community  
EN = European standards  
IATA = International Air Transport Association Dangerous Goods Regulation  
IBC-Code = International Code for the construction and equipment of ships carrying dangerous chemicals in large quantities  
IMDG = International Maritime Code for dangerous goods  
ISO = International Organization for Standardization  
LC50 = Lethal Concentration 50%  
LD50 = Lethal dose 50%  
MAK = Maximum workplace concentration  
MARPOL = International Convention for the Protection of the Marine Environment from Ship-generated Litter  
NOEC = No Observed Effect Concentration  
OECD = Organisation for Economic Cooperation and Development  
PBT = Persistent, bioaccumulative and toxic  
pH = potential of hydrogen  
PNEC = Predicted no effect concentration  
PPM = parts per million  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals (EC Regulation 1907/2006)  
RID = Regulation concerning the international transport of dangerous goods by train  
TRGS = Technical rules for hazardous substances (german rules)  
TWA = Time-weighted average exposure limit  
UN-Number = UN number for the transport of dangerous goods  
vPvB = Very Persistent and very Bioaccumulative as for REACH Regulation  
VOC = Volatile organic Compounds

### 16.3 Key literature references and sources for data

None

### 16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

### 16.5 Relevant H- and EUH-phrases (Number and full text)

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** Höveler Mähnen- und Schweißspray 2,5 l  
**Revision date :** 17.01.2023  
**Print date :** 07.01.2026

**Version (Revision) :** 3.0.0 (2.0.0)

---

H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

### 16.6 Training advice

None

### 16.7 Additional information

None

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---